

iwis[®]

Since 1929

Manufacturers of Classical and
Proprietary Ayurvedic Medicines



AYURVEDA IS THE FUTURE OF HEALTH CARE

USE AYURVEDA AS THE FIRST LINE OF TREATMENT

*For the use only of registered medical practitioners or a hospital or a laboratory.

MUSCULOSKELETAL REMEDIES

Antanil | Tablets

Mahayogaraja guggulu || Shuddh parada (Mn) || Shuddh gandhaka (Mn) || Tamra bhasma (Mn) || Rasna (Rz)

Indications: Indicated in painful musculoskeletal conditions like lumbago, rheumatoid & osteoarthritis, sprains, cervical and lumbar spondylosis, fibrositis, contusion, muscle trauma, sciatica, stiffness, frozen shoulder and in sports injuries.

Dosage: Take 1 or 2 tablets twice or thrice a day after food.

It can be taken along with Antanil syrup for better results.

Use Antanil oil for external application.

Presentation: 10 X 10 tablets, 1000 tablets.



Antanil | Syrup

Rasna (Rz) Eranda moola (Rt) || Guduchi (St) || Patha (Rt) || Bala (Pl) || Ativisha (Rz)

Indications: Indicated in lumbago rheumatoid arthritis, osteoarthritis, sprains, muscle trauma, sciatica, stiffness, frozen shoulder and in sports injuries. An adjuvant to all vata disorders.

Dosage: Take 2 teaspoonfuls with equal amount of water twice a day. It can be taken along with Antanil tablets. Antanil oil may be used for external application.

Presentation: 200 ml, 500 ml, 5 lts.



Antanil | Oil

Mahanarayana taila || Prabhanjana vimardana taila || Balashwagandha taila || Amavata taila || Devdar taila || Niligiri taila

Indications: Indicated in vataroga, pain in joints, rheumatic pains, swelling of muscle or joints, muscular pains, arthritis and osteoarthritis.

Dosage: For external use only. Rub gently on the affected parts.

Presentation: 30 ml, 100 ml, 500 ml, 5 lts.




Antanil Gold | Capsules

Shuddh gandhaka (Mn) || Shuddh parada (Mn) || Shallaki extract || Rasna (Lf) || Eranda (Rt) || Guggulu (Exd) || Abhraka bhasma (Mn) || Loha bhasma (Mn) || Tamra bhasma (Mn) || Swarna bhasma (Mn)

Indications: Indicated in acute and chronic rheumatoid arthritis, osteoarthritis, cervical spondylosis, lumbago, paraplegia.

Dosage: Take 1 or 2 capsules twice a day.

Presentation: 10 x 10 capsules, 1000 capsules.



Artin | Tablets

Chitraka (Rt) || Madhusuhi (Rt) || Ashwagandha (Rt) || Eranda moola (Rt) || Sunthi (Dr Rz)

Indications: Indicated in rheumatoid arthritis, Ankylosing spondylitis, osteoarthritis, lumbago, inflammation and pain in joints, sports injuries.

Dosage: Take 1 or 2 tablets twice a day.

Presentation: 10 X 10 tablets, 1000 tablets.

Pain Balm

Karpura (Sub Ext) || Ajwain satva (Dr Fr) || Pudina satva (Mn) || Gandhapura taila (Oil) || Nilgiri taila (Oil)

Indications: Indicated in all types of headaches and body aches.

Direction: For external use only. Apply on the area of ache and rub gently till it gets absorbed.

Presentation: 10 gm.



SKIN REMEDIES, ANTIALLERGICS AND BLOOD PURIFIERS

Dermonim | Tablets

Rasa karpura (Mn) || Shuddha gandhaka (Mn) || Tutha (Mn) || Abhraka bhasma (Mn)

Indications: Indicated in skin disorders especially vitiligo.

Diet: Diet has a very important role to play in the treatment of vitiligo. Avoid tamarind, all citrus fruits. Use dry mango as a substitute. Avoid ground nuts and cashew nuts. Avoid processed food like pizzas, burgers, aerated drinks etc. Avoid brinjal, lady's finger, plantain, bottle gourd, sour tomatoes. Avoid dairy products like milk, curd, paneer and cheese. Take butter milk and ghee.

Dosage: Take 1 or 2 tablets twice a day.

Presentation: 40, 80 and 1000 tablets.



Dermonim | Lotion

Kharpara (Mn) || Kaseesa bhasma (Mn) || Chitraka (Rt) || Bakuchi (Sd)

Indications: Indicated in all types of skin diseases especially vitiligo / leucoderma.

Direction : For external application only. Apply on the area which has white patches.

Presentation: 100 ml, 5 lts.



Paril | Tablets

Loha bhasma (Mn) || Abhraka bhasma (Mn) || Rasamanikya rasa (Mn) || Haridra (Rz) || Vidanga (Fr)

Indications: It is an antiallergic. It is indicated in all types of allergic reactions such as allergic bronchitis, allergic respiratory problems and allergic itching, etc.

Dosage: Take 1 or 2 tablets twice a day.

Presentation: 40, 100 and 1000 tablets.



Pamarin | Tablets

Shuddh gandhaka (Mn) || Tankana bhasma (Mn) || Kaseesa bhasma (Mn) || Guduchi satva (St)

Indications: Indicated in dermatitis, chronic ulcers, boils, erythema and pruritus. It is antiperiodic and antiinflammatory.

Dosage: Take 1 to 2 tablets along with honey twice a day.

Presentation: 10 X 10 tablets, 1000 tablets.



Gandhaka Rasayana

Shuddh gandhaka (Mn)

Indications: Indicated in syphilitic syndrome, skin diseases like eczema, chronic venereal complications, bacterial afflictions and scrotal swelling, etc.

Dosage: Adults: Take one tablet with water before food twice a day. Children: Take half tablet with water before food twice a day.

Presentation: 40, 80 and 1000 tablets.

Tablets



R & H Compound | Tablets

Rasamanikya rasa (Mn) || Hemasundara rasa (Mn) || Guduchi satva (St)

Indications: Indicated in all kinds of skin disorders. It is an antimicrobial and antiperiodic. Also indicated in urinary disorders like spermatorrhoea and strangury.

Dosage: Take one tablet with water twice a day. In acute cases it can be taken with Swarna bhasma.

Caution: To be used under medical supervision.

Presentation: 40, 80 and 1000 tablets.

Tablets



Rasottamadi | Lepana

Shuddha parada (Mn) || Shuddha gandhaka (Mn) || Manahshila (Mn) || Ganga sindura (Mn) || Daruharidra (Dr St)

Indications: Indicated in common skin diseases, wounds, etc. For external application only.

Presentation: 10 gm.



Sulphur | Ointment

Shuddha gandhaka (Mn) || Tankana amla (Mn) || Jasada bhasma (Mn)

Indications: Indicated in dry eczema, wounds, fissures of foot, burns and skin sores. For external application only

Presentation: 10 gm.



Sindhuradi | Lepana

Ganga sindhura (Mn) || Rasa karpura (Mn)

Indications: Indicated in skin sores, warts, boils, chancroid, ulcers and non healing wounds, etc.

For external application only.

Presentation: 10 gm.



Tuvaraka | Lepana

Tuvaraka seeds (Sd)

Indications: Indicated in eczema, fissured skin, lepromatous conditions of the skin and also in skin diseases of venereal nature. For external application only.

Presentation: 10 gm.



Mandara | Lepana

Narikela bhasma (P) || Madhuja (Wax) || Narikela taila (Oil) || Rudra pushpa (Fl)

Indications: Indicated in alopecia and dandruff. For external application only.

Dosage: Apply on the scalp and rub gently for 10 minutes on affected parts.

Presentation: 10 gm and 500 gm.



Indra Taila

Camphor (Sub Ext) || Rasa karpura (Sub Ext)

Indications: Indicated in nail fungus, warts, insect bites, eczema and skin rashes. For external application only.

Dosage: Apply on the affected area.

Presentation: 10 gm.



Sarasa | Syrup

Saariva (Rt) || Lodhra (Bk) || Ushira (Rt) || Draksha (Fr)

Indications: Blood purifier. Indicated in syphilitic syndrome, skin patches, eczema, itching, fistula. This will also find application in enlarged cervical glands, fungal skin diseases, stomatitis, pyorrhoea, etc.

Dosage: Take 2 teaspoonfuls diluted with double the quantity of water twice a day after food.

Presentation: 100 ml, 200 ml, 500 ml 5 lts.



CARDIOVASCULAR, PSYCHIATRIC & METABOLIC REMEDIES

Hyper-IM | Tablets

Sarpagandha (Rt) || Jatamansi (Rz) || Hemamakshika bhasma (Mn) || Shukti bhasma (Mn)

Indications: It is a safe antihypertensive, antidepressant and diuretic.

Dosage: Maintenance dose for mild hypertension: Take 1 tablet a day.

Mild to moderate hypertension : Take 2 or 3 tablets a day.

Severe hypertension: Take one tablet daily as an adjuvant along with other hypertensives.

Presentation: 10 X 10 tablets, 1000 tablets.



Jessica | Tablets

Jatamansi (Rz) || Sarpagandha (Rt) || Amlaki (Dr Fr)

Indications: Indicated in insomnia, anxiety neurosis and nervous diseases.

Dosage: Take 2 tablets at bed time. For effective action, after taking the tablets do not undertake any activity. Retire to bed.

Presentation: 10 X 10 tablets, 1000 tablets.




Vydactin | Tablets

Lasuna (Bl) || Maricha (Dr Fr) || Pippali (Dr Fr) || Sunthi (Dr Rz)

Indications: Indicated in high levels of cholesterol and high blood pressure.

Dosage: Take 1 or 2 tablets twice a day.

Presentation: 10 X 10 tablets, 1000 tablets.



Apsa | Tablets

Ashwagandha (Rt) || Hemamakshika bhasma (Mn) || Rajatha bhasma (Mn) || Mandukaparni (Pl)

Indications: Indicated in psychiatric disorders like ADHD, bipolar disorder, OCD, insomnia and anxiety neurosis.

Dosage: Take 1 tablet twice a day.

Presentation: 60, 100 and 1000 tablets.




Niddwin | Tablets

Guduchi (St) || Madhunasini (Lf) || Bougainvillea (Fl) || Amlaki (Dr Fr)

Indications: Indicated in noninsulin dependent diabetes mellitus. Adjuvant to other oral anti diabetic drugs. Improves general health.

Dosage: Take 1 tablet twice a day.

Presentation: 10 X 10 tablets, 1000 tablets.



Smriti | Syrup

Mandukaparni (Pl) || Vacha (Rz) || Amlaki (Fr) || Shatavari (Rt)

Indications: Indicated in memory loss due to dementia, etc. Sharpens intellect.

Dosage: Take 2 to 4 teaspoonfuls twice a day.

Presentation: 200 ml, 500 ml, 5 lts.




Smriti | Tablets

Brahmi (Pl) extract || Shatavari (Rt) extract || Mandukaparni (Pl) || Amlaki (Fr)

Indications: Indicated in memory loss due to dementia, etc. Sharpens intellect.

Dosage: Take 1 tablet twice a day.

Presentation: 10 X 10 tablets, 1000 tablets.



Medonil | Tablets

Vrikshamla (Fr) extract || Guggulu (Exd) || Maricha (Dr Fr) || Arjuna (St Bk)

Indications: Indicated in Obesity; increases lipid metabolism. It is also a hepatoprotective.

Dosage: Take 1 tablet twice a day with honey.

Presentation: 20, 40 and 1000 tablets.



GYNAECOLOGICAL AND NUTRITIONAL REMEDIES

Gynocalm | Tablets

Yashtimadhu (Rt) || Garika durva (Pl) || Draksha (Fr) || Mandukaparni (Pl) || Loha bhasma (Mn)

Indications: Indicated in dysmenorrhoea, menorrhagia, metrorrhagia, irregular menstrual cycle and premenstrual tension.

Dosage: Take 1 tablet twice a day.

Presentation: 40, 500 and 1000 tablets.



Gynocalm | Syrup

Shatavari (Rt) || Ashoka (Pl) || Padmaka (Fl) || Amlaki (Dr Fr)

Indications: Indicated in dysmenorrhoea, menorrhagia, metrorrhagia, irregular menstrual cycle and premenstrual pain.

Dosage: Take 2 to 3 teaspoonfuls twice a day.

Presentation: 200 ml, 500 ml, 5 lts.



Abalasadha | Tablets

Bida lavana (Mn) || Kaseesa bhasma (Mn) || Guduchi satva (St)

Indications: Indicated in gynaecological disorders like dysmenorrhoea, menorrhagia. Also indicated in palpitation, backache, distaste, general weakness, constipation etc, associated with menstrual disorders.

Dosage: Take 1 tablet with honey or ghee before food, twice a day.

Presentation: 40 and 1000 tablets.



Lactoma | Syrup

Shatavari (Rt) || Jeevanthi (Rt) || Shatapushpa (Fr)

Indications: Indicated in General debility after child birth, strengthens immune system of mothers, balances hormones, restores health of reproductive system post delivery and a galactagogue.

Dosage: Take 3 to 4 teaspoonfuls twice or thrice a day with milk.

Presentation: 200 ml, 500 ml.



Lactoma | Granules

Shatavari (Rt) || Vidari (Tub Rt) || Saariva (Rt) || Rohitaka (St Bk)

Indications: Improves content and secretion of milk and a galactagogue.

Dosage: 10 gm twice a day with a glass of milk.

Presentation: 250 gms, 500 gms.



Nakas | Syrup

Somalata (St) || Dhattura (Pl) || Kantakaari (Pl) || Yashtimadhu (Rt)

Indications: Indicated in all types of cough, haemoptysis, tonsillitis and in bronchial asthma.

Dosage: Take 1 to 2 teaspoonfuls with equal quantity of water twice or thrice a day after food.

Caution: To be taken under medical supervision.

Presentation: 100 ml, 200 ml, 500 ml, 5 lts.



GCM | Syrup

Vasa (Lf) || Dhattura (Pl) || Brihati (Pl) || Tulasi (Pl)

Indications: Indicated in all types of cough.

Dosage: Adults: Take two teaspoonfuls twice or thrice a day. Children: Half of the dosage prescribed for adults.

Presentation: 100 ml, 5 lts.



Eosinophal | Tablets


Navagrahi || Sudarshana churna || Gomutra shilajit (Mn)

Indications: Indicated in eosinophilia, cough, dyspnoea, fever, rhinitis and sneezing.

Dosage: Take 1 tablet twice a day with warm water.

Caution: To be used under medical supervision.

Presentation: 10 X 10 tablets, 1000 tablets.




Pulmoran | Tablets

Kantakaari (Pl) || Pippali (Dr Fr) || Maricha (Fr) || Bhingaraj (Pl)

Indications: Indicated in bronchitis, cough, stuffy nose, rhinitis and recurrent respiratory problems. It is indicated as adjuvant along with antitubercular medications for improving the overall health of the lungs.

Dosage: Take 1 tablet twice a day.

Presentation: 10 X 10 tablets, 1000 tablets.



Tonosil | Tablets

Tankana bhasma (Mn) || Kaseesa bhasma (Mn) || Karpura shilajit bhasma (Mn)

Indications: Indicated in acute and chronic tonsillitis.

Dosage: Take 1 or 2 tablets twice a day.

Presentation: 10 X 10 tablets, 1000 tablets.



Asthamed | Tablets

Sirisha (Rt Bk) || Tulasi (Lf) || Haridra (Rz) || Sunthi (Dr Rz)

Indications: Indicated in asthmatic conditions. Reduces allergic symptoms. It can be taken with Nakas for better results.

Dosage: Take 2 tablets twice or thrice a day.

Presentation: 60 and 1000 tablets.



GASTROINTESTINAL REMEDIES

Mougel | Mouth Paint

Khadira (Wd) || Tankana bhasma (Mn) || Triphala

Indications: Indicated in mouth ulcers

Dosage: Apply gently on affected area of the tongue and mouth three or four times a day.

Presentation: 10 ml, 5 lts.



Mougel | Mouth Wash

Khadira (Wd) || Triphala

Indications: Indicated in all kind of mouth ulcers, inflammation of gums, pharyngitis and laryngitis. Can also be used as a mouth fresher for foul smelling breath.

Dosage: Take 2 to 3 teaspoonfuls in the mouth and gargle thoroughly or rinse the mouth to use it as an antiseptic mouth wash.

Presentation: 100 ml, 5 lts.



Imex | Tablets

Vamshalochana (Exd) || Pippali (Dr Fr) || Guduchi satva (St)

Indications: Indicated in whooping cough in children and vomitings associated with fever and cough.

Diet: Children should be given only old rice, barley, urad dal, bitter gourd, ghee, butter milk, draksha and other easily digestible foods. Avoid spicy food, fried food, pungent, sour substances, brinjal and ivy gourd.

Dosage: Take 1 tablet with honey or sugar candy powder and water twice a day.

Presentation: 100 and 1000 tablets.



Imis Tonic Compound

Syrup

Ashwagandha (Rt) || Yashtimadhu (Rt) || Ratnapurusha (Lf) || Saariva (Rt) || Bala (Pl)

Indications: It is an aphrodisiac and haematinic tonic. Indicated in weakness, insomnia, fatigue, mental stress, anaemia, indigestion, distaste and excessive sweating. Also indicated in pains and burning sensation in hands and feet, palpitation and breathlessness. It can be used by all age groups.

Dosage: Take 2 teaspoonfuls with water twice a day after food.

Presentation: 200 ml, 500 ml, 5 lts.



Imigrone - C | Syrup

Amlaki (Dr Fr) || Sariba (Rt) || Draksha (Dr Fr)

Indications: Indicated in gastrointestinal disturbances, scurvy. It is an antibacterial and antispasmodic. Increases appetite and improves general tone of the system. An ideal tonic for vigour and healthy growth of children.

Dosage: Take 2 to 3 teaspoonfuls twice or thrice a day.

Presentation: 100 ml, 5 lts.



Imitol | Syrup

Ashwagandha (Rt) || Jatamansi (Rz) || Gomutra shilajit (Mn)

Indications: Indicated in anaemia, fatigue, nervous weakness and sexual debility.

Dosage: Take 2 to 3 teaspoonfuls twice a day.

Presentation: 200 ml, 500 ml, 5 lts.



Imidige | Syrup

Haritaki (Dr Fr) || Sunthi (Dr Rz) ||
Bhunyamlaka (Pl)

Indications: Indicated in chronic indigestion, constipation, dyspepsia, anorexia and abdominal colic.

Dosage: Adults : Take 1 to 2 teaspoonfuls twice a day. Children : Take 1/2 to 1 teaspoonful twice a day.

Presentation: 200 ml, 500 ml, 5 lts.



Livlon Forte | Syrup

Bhunyamlaki (Pl) || Punarnava (Pl) || Sarapun-
ka (Pl) || Pippali (Dr Fr) || Chitraka (Rt)

Indications: It is a hepatoprotective. Indicated in spleen enlargement, jaundice, diabetes, constipation, anorexia and indigestion.

Dosage: Adults : Take 2 teaspoonfuls twice a day. Children : Take 1/2 to 1 teaspoonful twice a day. Alcoholics : Take 1 to 2 tablespoonfuls twice a day.

Presentation: 200 ml, 500 ml, 5 lts can.




Imisedon | Tablets

Shankha bhasma (Mn) || Sarjakshara (Mn) || Kukkutanda tvak
bhasma (Mn)

Indications: It is a digestive and carminative. Indicated in acidity, gastric pains and colic.

Dosage: Take 2 tablets with warm water twice a day or whenever required.

Presentation: 10 X 10 tablets, 1000 tablets.



Livlon | Tablets

Bhringaraj extract (Pl) || Bhunyamlaki(Wh Pl) ||
Pippali (Dr Fr) || Mandura bhasma (Mn)

Indications: Indicated in enlargement of liver and spleen, anaemia, jaundice, constipation and loss of appetite.

Dosage: Take 2 tablets with water twice a day.

Diet: Should avoid oil and ghee and take easily digestible foods.

Presentation: 100 and 1000 tablets.



Essidan | Tablets

Shukti bhasma (Mn) || Kukkutanda tvak bhasma(Mn) || Varata
bhasma(Mn) || Shankha bhasma(Mn)

Indications: Indicated in acid peptic disorders including gastric ulcer, duodenal ulcer, gastroesophageal reflux diseases and motion sickness. A digestive and carminative. Reduces acidity in the stomach, relieves gastric pains and colic.

Dosage: Take 2 tablets with warm water twice a day.

Presentation: 40, 80 and 1000 tablets.



Imizyl | Capsules

Vamshalochana (SC) || Dadima tvak (Fr R) || Bilva
(Fr) || Ativisha (Rt)

Indications: Indicated in dysentery and diarrhoea caused by bacterial, parasitic worms including amoebiasis. An antibacterial, anthelmintic and has antispasmodic effect.

Dosage: Take 1 or 2 capsules twice or thrice a day. For an additive effect it is recommended to use along with Qura due to its anti amoebic Properties.

Presentation: 20, 40 and 1000 capsules.



Digem Pro | Tablets

Trivrit (Rt) || Swarna gairika (Mn) || Lavanga (Fl Ba)
|| Shankha bhasma (Mn) || Triphala and Trikatu

Indications: Indicated in hyper acidity, promotes free bowel movement, protects gastric mucosa, relieves bloating and abdominal discomfort.

Dosage: One or two tablets a day. Take half an hour before or after food.

Presentation: 20, 40 and 1000 tablets.



Qura | Tablets

Kutaja (St Bk) extract

Indications: Indicated in amoebiasis, gastrointestinal infections, irritable bowel syndrome, anal itching and other infections, colic and malabsorption.

Dosage: Take 1 or 2 tablets twice a day. For an additive effect it is recommended to use along with Imizyl due to its anti diarrhoeal effect.

Presentation: 40 and 1000 tablets.



Madiphala Rasayana

Syrup

Jambeera Rasa/Madhiphala Rasa || Jeeraka
(Dr Fr) || Sunthi (Dr Rz)

Indications: Indicated in dyspepsia, nausea, morning sickness and acts as a carminative.

Dosage : Take 1 to 3 teaspoonfuls twice or thrice a day with or without water.

Presentation: 100 ml, 200 ml, 500 ml, 5 lts.



Imilax | Tablets

Haritaki (Dr Fr) || Sunamukhi (Lf) || Trivrit (Rt)

Indications: Indicated in constipation. Stimulates bowel movement without causing irritation resulting in smooth evacuation of faeces. Non habit forming.

Dosage: Take 1 or 2 tablets with hot water at bedtime.

Presentation: 40, 100 and 1000 tablets.



Hemheal | Tablets

Suran kanda (Rz) || Nagakesara (Fi)

Indications: Indicated in constipation and piles. Stimulates bowel movement, loosens stools and helps smooth evacuation of faeces.

Dosage: Take 2 to 3 tablets with butter milk twice or thrice a day.

Diet: Avoid hot and oily substances.

Presentation: 60 and 1000 tablets.



Rejunova | Tablets

Ashwagandha (Rt) || Gomutra shilajit (Mn) || Ingileeka (Mn) || Swarna vanga (Mn)

Indications: Indicated in low libido, erectile dysfunction and oligospermia.

Dosage: Take 1 tablet twice a day with milk.

Presentation: 12 x 10 tablets, 1000 tablets.



Hemheal | Ointment

Nimba taila (St Bk) || Tankana bhasma (Mn) || Lajjalu (Pi)

Indications: Indicated in painful haemorrhoid conditions. It has both lubricating and healing ingredients which help soothen the pile mass and also help in easy evacuation. For external application only.

Direction: Apply before and after evacuation for prolonged exposure and faster healing. Can be used along with Hemheal tablets for better results.

Presentation: 30 gms tube with applicator.




Ecstasy Gold | Capsules

Kapikacchu (Sd) || Ashwagandha (Rt) || Gomutra shilajit (Mn) || Jasada bhasma (Mn) || Hemosundara rasa (Mn)

Indications: Indicated in oligospermia, infertility, erectile dysfunction and premature ejaculation.

Dosage: Take 1 or 2 capsules twice a day.

Presentation: 10 x 10 capsules, 1000 capsules.



SKIN REVITALIZERS (External applications)


Pithorin | Tablets

Lasuna (Bl) || Gomutra shilajith (Mn) || Pashanabheda (Lf) || Badarashma (Mn)

Indications: Indicated in gall bladder stones and pitta complications

Dosage: Take 1 tablet twice or thrice a day.

Presentation: 10 X 10 tablets, 1000 tablets.



Kumkumadi Lepana

Kumkum kesara (Stg) || Rasakarpura (Mn)

Indications: Indicated in pimples and other hyper pigmentation conditions. For external application only.

Direction: Apply on the face and rub gently on the affected parts in the night and wash with warm water in the morning.

Presentation: 15 gms and 30 gms.



Altarin | Tablets

Gomutra shilajit (Mn) || Pashanabheda (Rz) || Gokshura (Fr) || Punarnava (Rt)

Indications: Indicated in urinary calculi, urinary tract infections. Relieves pain, induces free urination.

Dosage: Take 2 tablets twice or thrice a day.

Presentation: 10 X 10 tablets, 1000 tablets.



Safrozan | Cream

Kesara (Stg) || Karpura (Sub Ext) || Shwetha chandana oil

Indications: A natural skin care with goodness of saffron. Protects from harmful sun rays and tones up the skin. Indicated in hyperpigmentation and acne.

Usage: Apply sufficient quantity on face, morning and evening.

Presentation: 20 gms.



REJUVENATORS

Dhatuvrudhi | Tablets

Ashwagandha (Rt) || Ingileeka (Mn) || Gomutra shilajit (Mn) || Swarna vanga (Mn)

Indications: It is a natural rejuvenator. Indicated in low libido, a spermatogenic.

Dosage: Take 1 tablet twice a day with milk.

Presentation: 40, 100 and 1000 tablets.



We also manufacture Classical Ayurvedic medicines such as Asavas, Arishtas, Kashayams, Kwathas, Kwatha Churnas, Grithams, Guggulu, Vatis, Gutikas, Lehyas, Bhasmas and Rasaushadhas.

Classical Products

Asvas, Arishtas

Abhayarishta
Amrutharishta
Aravindasava
Arjunarishta
Ashokarishta
Ashwagandharishta
Balarishta
Bhringarajasava
Babbularishta
Chandanasava
Dashamoolarishta
Jeerakadyarishta
Kanakasava
Khadirarishta
Kumarayasava
Kutajarishta
Lohasava
Mahadraksharishta
Mustakarishtha
Pippalyadyasava
Punarnavasava
Rohitakarishtha
Sarawatariishta
Saribadyarishta
Ushirasava
Vasarishta
Vidangarishta

Arkas

Ajamodakam (Omu Water)

Lehyas

Agastyaharitaki Lehya
Amruthabhallataka Lehya
Ashwagandhadi Rasayana
Chyavanaprasa
Madhusnuhi Rasayana
Sowbhagya Sonti Lehya

Tailas

Amavata Taila
Anu Taila
Arimedadi Taila
Balaguduchyadi Taila
Balashwagandha taila
Bringamalaka Taila
Chandanadi Taila
Dhanwantari Taila
Himasagara Taila
Hingutriguna Taila
Kottamchukkadi Taila
Ksheerabala Taila
Ksheerabala Taila(7)
Ksheerabala Taila (101)

Kumkumadi Taila
Mahachandanadi Taila
Mahamasha Taila
Mahanarayana Taila
Narayana Taila
Neelibhringaraja taila
Nirgundi Taila
Pinda Taila
Prabhanjana Vimardana Taila
Sahachardi Taila
Shatbindu Taila
Somaraja Taila
Vishatinduka Taila

Vantakajjali Oushadhas

Agnitundi Vati
Ananda Bhairavi
Brihatvata Chintamani
Chandrakala Rasa
Ekangaveera Rasa
Hemasundara Rasa
Ichabhedi Rasa
Kamadugha Rasa
Kantavallabha Rasa
Lakshmilivilasa Rasa
Mrityunjaya rasa
Panchabana rasa(Panchabana kalpa)
Pravala Panchamrutham
Purnachandrodayam
Rasaraja Rasa
Seetamsu Rasa
Shadguna Sindhuram
Siddhamakaradhwa
Smritisagara Rasa
Sri Jayamangala Rasa
Sutasekhara Rasa
Suvarnakravayadi Rasa
Suvarnamalini Vasantham
Swasakuthara Rasa
Tarakeshwara Rasa
Tribhuvanakirti Rasa
Vasantakusumakara Rasa
Vasanthamalathi Rasa
Vatagajankusam
Vatakulantaka Rasa
Vyadhiharana Rasa
Yogendra Rasa

Bhasmas

Abhraka Bhasma – Sarvopayogi
Abhraka Bhasma – Shataputa
Hemamakshika Bhasma
Jasada Bhasma

Kanta Bhasma
Kantabraka Sindhuram
Karpurashilajit Bhasma
Kaseesa Sinduram
Loha Bhasma
Lohasaveeram
Mukta Bhasma
Mandura Bhasma
Naga Bhasma
Pravala Bhasma
Ratinara Bhasma
Rajatha Bhasma
Shadguna Sindhuram
Shankha Bhasma
Sphatika Bhasma
Shukti Bhasma
Surakshara Bhasma
Surakshara Kaseesam
Swarna Bhasma
Talaka Bhasma
Tamra Bhasma
Tankana Bhasma
Trivanga Bhasma
Vanga Bhasma
Varata Bhasma
Vaikranta Bhasma

Vatukas And Rasaushadhas

Arogyavardhini Gutika
Chandra Prabhavati
Chitrakadivati
Dhanwantari Gutika
Kankayana Gutika
Lasunadivati
Manasamitra Gutika
Nityanandavati
Pravala Panchamrutam
Purnachandrodayam
Rajahpravartini Vati
Rasaraja Rasa
Swasanandavati
Vettumaran Gutika

Guggulu

Brihat Yogaraja Guggulu
Gokshuradi Guggulu
Kaisora Guggulu
Kanchanara Guggulu
Laghu Yogaraja Guggulu
Maha Yogaraja Guggulu
Punarnavadi Guggulu
Simhanada Guggulu
Triphala Guggulu
Yogaraja Guggulu

Ghrita

Brahmi Ghrita
Changeri Ghrita
Indukanta Ghrita
Mahatriphaladya Ghrita
Panchagavya Ghrita
Panchatikta Guggulu Ghrita
Sukumara Ghrita
Triphala Ghrita
Vidaryadi Ghrita

Churnas, Kwathas/ Kwatha Churna

Avipattikara Churna
Bhaskara Lavana
Brihatmanjishtadi Kwatha
Chopchinyadi Churna
Dashamoola Kwatha Churna
Dashamulikadi Kwatha
Devadaryadi Kwatha
Devadarvyadi Kwatha Churna
Eladi Churna
Guggulutikta Kwatha
Hingwashtaka Churna
Jatiphaladi Churna
Jatiphaladi Churna Tablets
Lavangadi Churna
Mahamanjistadi Kwatha
Maharasnadi Kwatha
Maharasnadi Kwatha Churna
Mahasudarshana Kwatha
Pathyadi Kwatha
Punarnavadi Kwatha Churna
Pushyanuga Churna
Rasna Erandadi Kwatha
Sitopaladi Churnam
Sudarsana Churna
Talisadi Churna
Trikatu Churna
Triphala Churna
Triphala Churna Tablets
Vidaryadi Kwatha

Miscellaneous

Gandhaka Bhasma
Guduchi Satvam

imwis[®]
Since 1929

Manufactured in India by:

IMIS Pharmaceuticals Pvt. Ltd.

#3-349, Guntur Road, Undavalli - 522501 || Regd. Office: 30-17-2, Seetharampuram,

Vijayawada - 520002 || www.imispharma.com

info@imispharma.com || sales@imispharma.com

Customer Care : 0866-6614142

*For the use only of registered medical practitioners or a hospital or a laboratory.